

**2026**



# **CLEARCOATS BODY FILLERS PRIMERS**

**Product Catalogue Automotive Refinish  
Premium Automotive & Private Label Solutions**

**YOUR BRAND**

**OUR FACTORY**

**ONE GLOBAL STANDARD**

# ABOUT US

*Global Coat Solution® is internationally recognized in the automotive refinishing industry. Our core business is the development and distribution of high-quality materials for automotive refinishing: Putties, Primers, Varnishes, Aerosols, and Polishing Compounds. Currently, we have a presence in several countries and continue to expand. Our facilities are primarily located in Portugal. The central administrative headquarters are located in Torres Vedras, due to its ideal conditions for developing new expansion strategies and infrastructure. Global Coat Solutions is a brand specializing in the development and supply of coating systems and chemical solutions for the automotive, industrial, and construction sectors.*



# GCS<sup>®</sup>

## GLOBAL COAT

### SOLUTIONS

*With a B2B-oriented approach, Global Coat Solutions positions itself as a solution provider, offering products developed to meet the technical demands of international professionals and distributors.*

*Our portfolio includes system-organized solutions covering automotive refinishing, surface care, technical aerosols, and industrial chemicals, always developed according to high standards of quality, performance, and regulatory compliance.*

*In addition to our own product line, Global Coat Solutions offers Private Label services, supporting distributors and partners in developing exclusive brands with high flexibility, confidentiality, and complete technical documentation.*

*Our commitment is to provide consistency, reliability, and competitiveness, establishing long-term relationships with partners who seek sustainable growth in their markets.*

# PRODUCTION

*Loyalty is our main foundation in the manufacturing of GCS | GLOBAL COAT SOLUTION products. For us, this means that all items must meet the highest established standards. In today's fast-paced world, we strive to always listen to our customers' needs, improving our already high-quality products and expanding our product line.*



# OUR PRODUCT SYSTEMS

Global Coat Solutions organizes its portfolio into technical systems, allowing for a clear, efficient, and scalable approach to different applications and markets.

## GCS | Refinish Systems

Solutions for professional automotive refinishing, including fillers, primers, varnishes and surface preparation products.

## GCS | Aerosol Systems

Full range of 1K and 2K technical aerosols for repair, maintenance and industrial applications.

## GCS | Surface Care Systems

Solutions for repairing, finishing, cleaning and protecting surfaces, developed for professional use.





**GLOBAL COAT**  
SOLUTIONS

# GCS Refinish Systems - Polyester Body Fillers

GCS Refinish Systems – Polyester Body Fillers. Global Coat Solutions' Polyester Body Fillers were developed to ensure efficient repairs, a uniform finish, and ease of use, adapting to the demands of the professional automotive refinishing sector. This range covers the most common workshop applications, ensuring compatibility with different substrates and excellent performance at all stages of the repair process.



ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>POLYESTER BODY FILLERS</b>				
BL261125	BETUME UNIVERSAL BEGE M01	250g	12	Polyester filler developed for automotive repair. A versatile product that provides excellent filling quality, with a high degree of hardness and flexibility. Easy to handle and sand.
BL261126		500g	18	
BL261128		1kg	10	
BL261129	BETUME UNIVERSAL BRANCO M02	250g	12	Polyester filler developed for automotive repair. A versatile product that provides excellent filling quality, with a high degree of hardness and flexibility. Easy to handle and sand.
BL261130		500g	18	
BL261131		1kg	10	
BL261132	BETUME FIBRA DE VIDRO M03	250g	12	Two-component polyester putty reinforced with fiberglass, developed for automotive repairs. Especially suitable for repairing large dents and holes in vehicle bodies, trailers, and semi-trailers.
BL261133		500g	18	
BL261135		1kg	10	
BL261136		1,7 kg	10	
BL261137	BETUME PLASTICOS M04	250g	12	Massa de poliéster altamente elástica com excelente adesão e resistência mecânica. Desenvolvida para reparos automotivos e preenchimento de cavidades em plásticos. Especialmente indicada para reparar peças plásticas da carroceria expostas a vibrações.
BL261138		500g	18	
BL261139		1kg	10	

ART. Nº.	PRODUTO	UNIT	QUA T. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>POLYESTER BODY FILLERS</b>				
BL261140	BETUME ALUMINIO M05	250g	12	Polyester putty with aluminum powder. Especially suitable for repairing car body components exposed to temperature variations. Offers greater resistance to mechanical vibrations and good heat dissipation.
BL261141		500g	18	
BL261142		1kg	10	
BL261143		1,8 kg	10	
BL261144	BETUME COM FIBRA DE CARBON M06	1 kg	10	Massa de poliéster reforçada com fibra de carbono de alta qualidade para preenchimento de grandes amassados e furos em veículos, reboques e semirreboques. Apresenta excelente adesão a diversos substratos, incluindo plástico. Graças às suas propriedades condutoras, a massa pode ser aplicada em peças expostas a altas temperaturas.
BL261145		1,7 kg	10	
BL261146	BETUME SOFT PLUS M07	1,8 kg	10	Massa de poliéster altamente flexível, desenvolvida para reparar peças plásticas, especialmente aquelas expostas à vibração. Apresenta excelente adesão à maioria dos plásticos. Possui propriedades tanto de massa de enchimento quanto de acabamento.
BL261147	BETUME MULTIFUCION M08	1 l	10	Massa de poliéster leve e multifuncional, desenvolvida para reparos automotivos rápidos. Combina as propriedades de uma massa de enchimento e de um acabamento. Caracteriza-se por sua consistência cremosa, excelente aderência a diversos substratos, facilidade de aplicação e superfície muito lisa após o lixamento.
BL261148	BETUME LIGHT M09	1 l	10	Massa de poliéster bicomponente leve, desenvolvida para reparos automotivos. Seu baixo peso específico significa que exerce menos pressão sobre as superfícies do que as massas universais.
BL261149	BETUME ULTRA LIGHT M10	1 l	10	Massa de poliéster ultraleve desenvolvida para reparos em carrocerias de veículos. Ideal para uso em grandes superfícies onde a redução de peso é importante. Caracteriza-se pela extrema facilidade de lixamento e excelente aderência ao metal.
BL261150	BETUME ALTA TEMPERATURA M11 200°C	500gr	18	Massa poliéster 2K de alta qualidade com resistência superior a altas temperaturas, até 200 °C. Apresenta boa condutividade elétrica. Destinada principalmente à preparação de superfícies antes da aplicação de pintura a pó. O produto oferece boa flexibilidade e excelente adesão a diversos tipos de superfície após a devida preparação.
BL261151		4,5KG	1	



**GLOBAL COAT**  
SOLUTIONS

## GCS Refinish Systems - Primers

Global Coat Solutions primers are designed to ensure excellent adhesion, leveling, and surface protection before the application of the final finish. This range includes versatile solutions for different types of substrates, such as metal, galvanized steel, aluminum, and plastics, guaranteeing a uniform base that is easy to sand and compatible with professional automotive refinishing systems. GCS primers stand out for their ease of application, fast drying time, and excellent stability, contributing to a high-quality final finish.

ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
PRIMERS				
	PRIMÁRIO RAPID B2010 HS 4:1	0,8 l + 0,2 l	6	Primário acrílico bicomponente de alta qualidade com aditivos anticorrosivos para reparação de carroçarias. Caracteriza-se por um elevado teor de sólidos, excelentes propriedades de preenchimento e um tempo de cura muito curto – pronto para lixar apenas 1 hora após a aplicação (a 20 °C). Apresenta ainda uma ótima aderência a substratos difíceis e uma aplicação fácil.
		3,6 l	4	
BL110277	ENDURECEDOR	0,9 l	4	
	PRIMÁRIO MULTI S2018 4:1	0,8 l + 0,2 l	6	Primer acrílico multifuncional 2K de alta qualidade com adição de agentes anticorrosivos e uma ampla gama de aplicações. Funciona perfeitamente tanto como primer de preenchimento quanto de base, podendo ser aplicado diretamente sobre metal, proporcionando excelente proteção contra corrosão em áreas lixadas até o aço exposto. Uma vantagem adicional do primer é a possibilidade de aplicação com a técnica "molhado sobre molhado", sem a necessidade de lixamento.
		3,6 l	4	
BL110284	ENDURECEDOR	0,9 l	4	





# GLOBAL COAT

SOLUTIONS

ART. NO.	PRODUCT	UNIT	QUAR T. P/ CX	MAIN CHARACTERISTICS
<b>ANTIGRAVELS</b>				
BL200899	HS-5717 Anti-Gravel Protection	1 kg	12	This product was developed to protect vehicle bodies from stone impacts and the harmful effects of gasoline, oil, water, and salt. It creates a durable and flexible protective layer with a unique texture, offering sound insulation and absorption properties. It is free of bituminous substances and asphalt. It can be repainted with any acrylic paint.
BL200900		1 kg	12	
BL200901		1 kg	12	
<b>RESINS</b>				
BL200902	POLYESTER RESIN	1 kg	6	Polyester resin developed for manual lamination. In combination with fiberglass mat, it is ideal for repairs to car bodies, caravans, boats, and yachts.
BL200903		5 kg	4	
BL200904	FAST FIBER KIT	250 g + 0,25 m <sup>2</sup>	16	Polyester resin developed for manual lamination. In combination with fiberglass mat, it is ideal for repairs to car bodies, caravans, boats, and yachts. Available in a quick-drying version.
BL200905	GLASS FOOD	300g / 0.5m <sup>2</sup>	10	Fiberglass mat combined with resin is frequently used in renovation and repair work during the lamination process. The resulting bonds are characterized by good resistance to short-term exposure to high temperatures (up to 70 °C) and excellent adhesion to various materials, such as metals and plastics. Fiberglass mat and resin can also be applied to parts already coated with varnish. The resulting bonds are robust and resistant to chemicals. Do not apply over reactive primers, one-component acrylic products, and nitrocellulose products.
BL200906	GLASS FOOD	150g/0.5m <sup>2</sup>	10	
BL200907	WOVEN ROVIN FABRICS	200g / 0.5m <sup>2</sup>	10	
BL200908	WOVEN ROVIN FABRICS	400g / 0.5m <sup>2</sup>	10	Roving fabric is used in the production of polyester-glass laminates as a resin reinforcement. It increases the glass fiber content of the laminate. When used in laminate production, it allows for a significant reduction in resin consumption while achieving higher strength parameters.





**GLOBAL COAT**  
SOLUTIONS

# GCS Refinish Systems - ClearCoats

Global Coat Solutions clearcoats have been developed to provide high gloss, excellent mechanical resistance, and superior durability in automotive refinishing systems. The GCS range includes HS and UHS clearcoats formulated to meet the demands of the professional sector, ensuring optimal flow, easy application, and a uniform finish, even under intensive working conditions. Compatible with acrylic bases and solvent-based systems, GCS Clearcoats guarantee effective protection against atmospheric agents, UV rays, and daily wear and tear, contributing to a final result of high aesthetic and technical quality.



ART. Nº.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>CLEARCOATS</b>				
BL050571	VERNIZ HS R06 2:1	1 L	6	Verniz acrílico bicomponente HS de alta qualidade, recomendado para reparos totais ou parciais rápidos na carroceria. O produto cria uma camada dura e cristalina com alta resistência a riscos (SR), que não altera a tonalidade da cor base. O longo tempo de secagem e a boa estabilidade em superfícies verticais permitem a obtenção, se desejado, de um efeito casca de laranja (textura) idêntico à pintura original de fábrica.
BL050572	VERNIZ HS R06 2:1	5 L	4	
	ENDURECEDOR VERNIZ HS 1:2	0,5 L	6	
	ENDURECEDOR VERNIZ HS 1:2	2,5 L	4	
BL050581	VERNIZ UHS D01 2:1	1 L	6	2K acrylic varnish with a very high solids content for car body repairs. Ideal for complete repairs, providing perfect leveling and excellent resistance to UV rays and other adverse weather conditions. The product is ready to use, requiring no dilution, and is easy to mix and apply. YIELD: 1 liter of the mixture is sufficient to paint 10 to 12 m <sup>2</sup> of surface with a layer thickness of 50 to 60 µm.
BL050582	VERNIZ UHS D01 2:1	5 L	4	
	ENDURECEDOR VERNIZ UHS 1:2	0,5L	6	
	ENDURECEDOR VERNIZ UHS 1:2	2,5 L	4	
BL050591	VERNIZ UHS S25 ULTRA FAST DRYING 2:1	1 L	6	Verniz acrílico bicomponente de alta qualidade para reparos automotivos rápidos, com baixíssimo teor de VOC. O verniz S25 foi desenvolvido para oficinas que enfrentam o desafio de devolver os veículos reparados aos seus clientes com rapidez. O uso de matérias-primas de última geração resultou em tempos de cura muito curtos. Quando utilizado em conjunto com o endurecedor rápido, o verniz pode ser manuseado após apenas 60 minutos (a 20°C).
BL050592	VERNIZ UHS S25 ULTRA FAST DRYING 2:1	5 L	4	
	ENDURECEDOR VERNIZ UHS 1:2	0,5 L	6	
	ENDURECEDOR VERNIZ UHS 1:2	2,5 L	4	
BL050599	VERNIZ MATE N71 2:1	1 L	6	High-quality matte acrylic varnish with a special effect. Suitable for specialized repairs on car body parts requiring a matte finish. Allows for a uniformly matte surface, as well as a resistant and durable finish.
BL050600	ENDURECEDOR VERNIZ MATE N71 2:1	0,5 L	6	



**GLOBAL COAT**  
SOLUTIONS

# GCS Refinish Systems - Degreasers & Thinners

Global Coat Solutions' degreasers and thinners play an essential role in surface preparation and the correct application of automotive refinishing systems. Developed for professional use, they ensure effective cleaning of contaminants such as oils, silicones, waxes, and polishing residues, as well as the correct viscosity regulation of paint products. The GCS range ensures compatibility with acrylic and solvent-based systems, contributing to a uniform final finish, greater adhesion, and reduced defects during the painting process.

ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>Degreasers &amp; Thinners</b>				
BL050801	DILUENTE ACRILICO M26	1 L	6	The thinner for acrylic systems is a mixture of specially combined organic solvents. It is specific to acrylic products - varnishes and primers from the GCS brand. It allows you to obtain the final product with clearly defined parameters. It ensures proper application, leveling and curing. Detailed proportions for each product are provided in the technical data sheets.
BL050802	DILUENTE ACRILICO M26	5 L	4	
BL050803	DILUENTE ACRILICO M25 LENTO	5 L	4	
BL050804	DILUENTE ACRILICO M27 RÁPIDO	5 L	4	
BL050805	DILUENTE DESBATIDOS	1 L	6	A practical thinner that allows for the preparation of invisible touch-ups on two-component acrylic varnishes. Its function is to dissolve dust deposited around the repaired area and even out differences in optical gloss at the contact point between the old and new layers of acrylic varnish. It guarantees quick and easy shading, even on varnishes with a high solids content (HS and UHS). It does not cause loss of gloss, even during curing at high temperatures (up to 60 °C). It can be applied with GCS brand clear varnishes. Highly recommended for HS and UHS.
BL050806	DESENGORDURANTE	1 L	6	Removedor de Silicone: Mistura de solventes orgânicos que permite remover com sucesso impurezas como alcatrão, óleo, silicone, etc., de superfícies. O removedor ajuda a evitar imperfeições como "olho de peixe". Pode ser aplicado em aço, alumínio, aço galvanizado, acabamentos antigos em bom estado, massas acrílicas, massas de poliéster e plásticos. Para melhores resultados, sempre limpe e lixe a superfície antes de lixar ou realizar qualquer trabalho na lataria do carro.
BL050807	DESENGORDURANTE	5 L	4	
BL050808	ACELARADOR	150 ml	6	Additive that accelerates the curing of acrylic resin-based products. Suitable for two-component (2K) polyurethane systems. Reduces drying time by up to 50% compared to crosslinking products without accelerator. Can be used with fast-curing hardeners, including in paint booths, up to 60°C. Reduces drying time by up to 50%, depending on application conditions. It prevents the bread from losing its shine, even when baked at higher temperatures (up to 60°C). Easy to use product.
BL050809	CONVERSOR DE FERRUGEM	100 ml	12	Proteção ativa contra corrosão e primer em um só produto. Protege o metal contra o desenvolvimento de corrosão, ligando a ferrugem e criando uma camada protetora de base. Prepara a superfície enferrujada para processos posteriores. O produto apresenta secagem rápida, fácil aplicação e excelente resistência a solventes. Pode ser aplicado em superfícies enferrujadas, limpas apenas de ferrugem levemente aderente.



**GLOBAL COAT**  
SOLUTIONS

# GCS Aerossol Systems - Spray

The GCS Refinish Systems range of aerosols was developed to offer fast, efficient and reliable professional solutions for the automotive refinishing sector. Designed for workshop use, GCS aerosols allow for highly controlled repairs, touch-ups and technical applications, reducing working time without compromising the final finish quality. With a complete offering that includes 1K, 2K and technical aerosol products, GCS provides a versatile solution covering everything from surface preparation to final protection.



ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>Aerossol System</b>				
BL050817	PRIMER 1K CINZENTO	500ml	12	Quick-drying primer suitable for wood, aluminum, metal, plastic, glass, stone, and various types of plastic. Easy to sand both wet and dry. The product has anti-corrosive properties and is characterized by excellent coverage. It can be repainted with all lacquer systems (1K and 2K acrylic varnishes, alkyd resin, nitrocellulose resin)*. A compatibility test is recommended.
BL050818	PRIMER 1K BRANCO	500ml	12	
BL050819	PRIMER 1K PRETO	500ml	12	
BL050820	PRIMER 1K VERMELHO	500ml	12	
BL050821	ALUMINIO DE JANTES	500ml	12	Tinta acrílica de secagem rápida, ideal para envernizar aros e calotas de aço ou metais leves. O produto caracteriza-se por boa dureza, ótima aderência e excelente desempenho. Altamente resistente a riscos, impactos, gasolina, raios UV e intempéries.
BL050822	PRETO MEIO BRILHO/SATINADO	400ml / 500ml	12	Tinta acrílica de alto poder de cobertura para aplicação em metal, madeira, alumínio, vidro e plástico. Produto desenvolvido para uso geral em partes internas e externas da carroceria. A tinta não desbota e é resistente à radiação UV, gasolina, produtos químicos e intempéries.
BL050823	PRETO MATE	400ml / 500ml	12	
BL050824	PRETO BRILHANTE	400ml / 500ml	12	
BL050825	VERNIZ 1K BRILHANTE	400ml / 500ml	12	Verniz acrílico transparente de secagem rápida com boa aderência a madeira, metal, alumínio, vidro, pedra e diversos tipos de plástico. Possui propriedades anticorrosivas, alta resistência a riscos e aos efeitos nocivos das intempéries.
BL050813	VERNIZ 1K MATE	400 ml	12	
BL050826	ANTICORROSIVE EPOXY PRIMER SPRAY CINZENTO	500ml	12	One-component epoxy primer developed to prepare the surface for the application of topcoat paint. It has excellent anti-corrosion properties and provides effective moisture insulation. The primer can be applied directly to steel, galvanized steel, stainless steel, aluminum, and old paint. It can be applied wet-on-wet, ideal for localized repairs. It can be repainted with water-based and solvent-based systems*.
BL050827	ANTICORROSIVE EPOXY PRIMER SPRAY CINZENTO ESCURO	500ml	12	A compatibility test is recommended.



**GLOBAL COAT**  
SOLUTIONS

## GCS Aerossol Systems - Spray

1K GCS aerosols are ready-to-use, single-component solutions, ideal for quick touch-ups, minor repairs, and complementary applications in the workshop. These products are distinguished by their ease of use, good adhesion, and uniform finish, and are compatible with a wide variety of substrates such as metal, plastic, and previously painted surfaces. The 1K range is especially suitable for jobs where speed and efficiency are essential, without the need for mixing or additional activation.



ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>Aerossol System</b>				
BL050814	PROTEÇÃO ANTIGRAVILHA HS BRANCO	500 ml	12	Produto à base de resina sintética desenvolvido para proteger a carroceria do veículo dos efeitos nocivos do clima, gasolina, óleo, água e sal. Forma uma camada resistente e flexível, que suporta impactos de pedras. Possui também propriedades de isolamento acústico. Pode ser aplicado com qualquer sistema de pintura.
BL050815	PROTEÇÃO ANTIGRAVILHA HS PRETO	500 ml	12	
BL050816	PROTEÇÃO ANTIGRAVILHA HS CINZENTO	500 ml	12	
BL050828	TEXTURADO ESTRUTURAL DE PLÁSTICOS PRETO	500ml	12	O produto é à base de resinas acrílicas e celulósicas, destinado à pintura de para-choques e outros elementos externos da carroceria em plástico. Permite obter uma textura fina que imita o plástico e disfarça pequenos defeitos da superfície. Caracteriza-se por um curto tempo de secagem e boa aderência. O produto pode ser aplicado diretamente sobre superfícies plásticas sem a necessidade de primer. A textura pode ser repintada com tintas comuns para para-choques.
BL050829	TEXTURADO ESTRUTURAL DE PLÁSTICOS CINZENTO ESCURO	500ml	12	
BL050834	SPRAY ACRYL (RAL 3020)	400 ml	12	High-quality acrylic resin-based spray paint. It is a very durable, quick-drying, and weather-resistant product. It is characterized by a high gloss. The product can be applied directly to all metal surfaces (except stainless steel), wood, concrete, and brick. The surface to be coated must be clean, dry, and free of grease. Splashes of old varnish and rust should be removed beforehand, and the surface should be sanded. Proper surface preparation is necessary to achieve the best repair results.
BL050835	SPRAY ACRYL (RAL 3002)	400 ml	12	
BL050836	SPRAY ACRYL (RAL 1028)	400 ml	12	
BL050837	SPRAY ACRYL (RAL 5002)	400 ml	12	
BL050838	SPRAY ACRYL (RAL 6029)	400 ml	12	
BL050839	SPRAY ACRYL (RAL 7001)	400 ml	12	
BL050840	SPRAY ACRYL (RAL 7016)	400 ml	12	
BL050841	SPRAY ACRYL (RAL 8016)	400 ml	12	
BL050842	SPRAY ACRYL (RAL 9010)	400 ml	12	



**GLOBAL COAT**  
SOLUTIONS

# GCS Aerossol Systems - Spray

2K GCS aerosols were developed for applications requiring maximum strength, durability, and finish quality. Thanks to the two-component system, these products offer superior hardness, chemical resistance, and UV stability, approaching the performance of spray-applied products. 2K aerosols are ideal for final finishes, parts exposed to higher demands, and repairs where quality cannot be compromised.



ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>Aerossol System</b>				
BL050830	VERNIZ 2K BRILHANTE	400 ml	6	2K varnish is a high-gloss, two-component polyurethane varnish with excellent resistance to gasoline and other chemicals. It offers excellent resistance to weathering and moisture. It can be applied to most surfaces and in two-coat painting systems. It is a finishing product developed to protect and enhance painted surfaces: machinery, automotive parts, industry, decoration, and wherever a high-performance varnish is needed. It does not yellow. For professional use only. Contains isocyanates. Mask use is mandatory.
BL050851	VERNIZ 2K MATE	400ml	6	
BL050850	VERNIZ ALTA TEMPERATURA 680°C	400 ml	6	Heat-resistant paint is a product formulated primarily with silicone resins and special thermosetting pigments to provide resistance to temperatures up to 690 to 700 °C. Designed for parts or surfaces subjected to different stages of thermal shock, such as stoves, boilers, exhaust pipes, engines, or fluid conduits.
BL050851	SPRAY PINCAS DE TRAVÃO AMARELO	400ml	6	This paint is specifically designed for car brake calipers. It offers exceptional strength and durability, as well as easy and safe application. This product was developed to paint, decorate, and customize brake calipers on all types of cars, especially sports cars. Resistant to temperatures up to 110°C.
BL050852	SPRAY PINCAS DE TRAVÃO VERMELHO	400ml	6	
BL050853	SPRAY PINCAS DE TRAVÃO AZUL	400ml	6	
BL050854	SPRAY PINCAS DE TRAVÃO AZUL METALIZADO	400ml	6	
BL050855	SPRAY PINCAS DE TRAVÃO PRETO BRILHANTE	400ml	6	
BL050856	SPRAY PINCAS DE TRAVÃO PRETO MATE	400ml	6	
BL050857	SPRAY PINCAS DE TRAVÃO PRATA	400ml	6	



**GLOBAL COAT**  
SOLUTIONS

## GCS Aerossol Systems - Spray

The GCS line of technical aerosols was created to meet specific needs for preparation, cleaning, protection, and finishing in automotive refinishing processes. These products play an essential role in the final quality of the work, ensuring clean, protected, and correctly prepared surfaces before and after the application of paints and varnishes. Developed for professional use, GCS technical aerosols contribute to greater workshop efficiency and consistent results at all stages of the process.

ART. Nº.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
Aerossol System				
BL050843	SPRAY DECAPANTE	400 ml	12	Formulação em aerossol para limpeza de pistolas de pintura, cabines de pintura, ferramentas, máquinas e outros equipamentos de aplicação.
BL050844	SPRAY PROMOTOR DE ADERENCIA DE PLÁSTICOS	400 ml	12	Primer desenvolvido para uso em superfícies plásticas, tratadas ou não. Produto de secagem rápida - tempo de secagem de 10 a 15 minutos. Um agente que melhora a adesão de produtos acrílicos e de poliuretano a plásticos. Fácil de usar e muito eficiente.
BL050845	SPRAY ETCH PRIMER CINZENTO	400 ml	12	One-component aerosol primer with excellent adhesion, recommended as a first coat applied directly to metal (iron, steel, aluminum). The product is also suitable for application over polyester fillers. Thanks to its zinc phosphate content, the primer has excellent anti-corrosive properties. It can be repainted with a wide range of other paints, such as alkyd, cellulosic or epoxy-based coatings. Note: Due to the wide variety of paints available on the market, it is recommended to perform a spray test.
BL050846	SPRAY CONVERSOR DE FERRUGEM 4 in 1 BRANCO	400 ml	6	Rust Control is an active corrosion protection system with an effective 4-in-1 paint system: <ul style="list-style-type: none"><li>• Primer</li><li>• Corrosion protection</li><li>• Clever</li><li>• Finishing/protective layer</li></ul> The product is characterized by quick drying, high yield with a single coat, excellent adhesion, and effective surface preparation. After drying, the paint layer becomes flexible, providing protection against external factors (impacts, scratches), as well as protecting against the harmful effects of weather, water, and UV rays.
BL050847	SPRAY CONVERSOR DE FERRUGEM 4 in 1 PRETO	400 ml	6	
BL050848	SPRAY CONVERSOR DE FERRUGEM 4 in 1 CINZENTO	400 ml	6	
BL050849	SPRAY CONVERSOR DE FERRUGEM 4 in 1 ALUMINIO	400 ml	6	



**GLOBAL COAT**  
SOLUTIONS

# GCS Aerossol Systems - Fill-One

Professional Custom Aerosol Technology

The GCS Fill-One System is a professional aerosol filling solution that allows you to transform any 1K liquid product into a customized, ready-to-use spray. This system offers maximum workshop flexibility, allowing you to prepare custom aerosols with your desired color or product, ensuring total control over the formulation, minimal waste, and high efficiency. The GCS Fill-One System is the ideal solution for touch-ups, small runs, and specific applications, ensuring a homogeneous spray and a finish similar to that of a professional spray gun.

System composed of:

- Fill-One Manual
- Fill-One Pneumatic

ART. Nº.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
Fill-One				
BL050831	SPRAY PRE-FILL	400 ml	12	Aerossóis pré-gaseados, prontos para serem preenchidos com 100ml de tinta.
BL050832	SPRAY PRE-FILL FILL ONE	400 ml	12	
BL050833	SPRAY PRE-FILL CONVERTER	400 ml	12	Produto semiacabado, contendo propelente e diluente orgânico, desenvolvido para ser utilizado com tinta acrílica bicomponente de cura química. A lata contém um aditivo que converte produtos bicomponentes (2K) em produtos de cura monocomponente (1K). O uso de tecnologia de pulverização inovadora e um bico especial permite um amplo padrão de pulverização e pressão constante para o melhor resultado final.





**GLOBAL COAT**  
SOLUTIONS

# GCS Refinish Systems - Protection & Sealing

The Global Coat Solutions Protection & Sealing range was developed to ensure long-lasting protection, effective sealing, and preservation of vehicle surfaces and structures. Including polyurethane (PU) sealants and cavity waxes, this line is designed for professional applications where resistance to moisture, corrosion, and external agents is essential. GCS products ensure excellent adhesion, flexibility, and compatibility with automotive refinishing systems, contributing to the longevity and structural protection of the vehicle.



ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>PROTECTION &amp; SEALING PRODUCTS</b>				
BL070506	CERA DE CAVIDADES CASTANHA	1 L	12	Produto monocomponente à base de cera e agentes impregnantes, desenvolvido para proteger contra corrosão perfis fechados da carroceria (como portas, capô e soleiras). Possui boa capacidade de penetração em fissuras e repele a umidade das superfícies. Forma uma camada flexível e impermeável que protege contra água e sal. Não reage com vernizes.
BL070507	CERA DE CAVIDADES TRANSPARENTE	1 L	12	
BL070508	CERA DE CAVIDADES CASTANHA	400 ml	12	
BL070509	CERA DE CAVIDADES TRANSPARENTE	400 ml	12	
BL070510	PISTOLA DE ANTIGRAVILHA	x	20	Pistola para aplicação de produtos de proteção da carroceria e manutenção da parte inferior do veículo, com função de controle de pressão. Possui design leve e robusto, além de bico autocentrante. Acompanha mangueira plástica para aplicação em ambientes fechados. A largura do jato e o fluxo de tinta são ajustáveis.
BL070511	PU ADHESIVE SEALANT in cartridge BRANCO	310 ml	12	A one-component polyurethane product developed to join and seal parts made of most plastics, stainless steel, painted body parts, concrete, and glass. The product dries quickly when exposed to moisture and is very flexible. Resistant to weathering and aging processes. It is also suitable for joining spoilers and body panels. It is used for joining and sealing joints between metal sheets formed by welding or brazing. Thanks to its compact and creamy consistency, the polyurethane putty does not drip, allowing for easy and quick application. Due to its resilience and high resistance, the adhesive-sealant putty dampens vibrations and reinforces the structure. The putty can be sanded and varnished. Freshly applied putty can be removed with turpentine.
BL070512	PU ADHESIVE SEALANT in cartridge PRETO	310 ml	12	
BL070513	PU ADHESIVE SEALANT in cartridge CINZENTO	310 ml	12	
BL070514	SEAM SEALANT BRUSHABLE grey	1 kg	12	Produto de secagem rápida desenvolvido para selar juntas, costuras e soldas em peças de carroceria. O produto garante uma vedação flexível que oferece excelente proteção contra água, humidade, sujeira e poeira. Após a cura, forma uma camada lisa e sem fissuras, compatível com todos os sistemas de pintura. Pode ser aplicado com pincel de nylon ou espátula.
BL070515	PU WINDSCREEN ADHESIVE standard	310 ml	12	Um produto de poliuretano monocomponente de alta qualidade, desenvolvido para colagem de vidros, que adere quando exposto à humidade. Pode ser utilizado também em baixas temperaturas. Caracteriza-se por boa estabilidade e tempo de cura curto. Possui propriedades de amortecimento de vibrações e ruídos, além de ser resistente ao envelhecimento e aos efeitos nocivos do clima.
BL070516	PU WINDSCREEN ADHESIVE fast	310 ml	12	
BL070517	PRIMARIO DE VIDROS	30 ml	25	Um agente que facilita e aumenta a adesão do adesivo de poliuretano para colagem de vidro. Além disso, oferece proteção contra a radiação UV, que pode levar à degradação do adesivo. É ideal como base para vidros automotivos, tanto para instalação de fábrica quanto para eventuais reparos.



**GLOBAL COAT**  
SOLUTIONS

# GCS Surface Care Systems

The GCS Polishing, Protection and Cleaning line was designed to guarantee professional results in all phases of automotive finishing and maintenance. From the initial cut to the final finish, GCS products ensure high performance, ease of use and consistent results on different types of surfaces. Complemented by cleaning and maintenance products, this range contributes to the aesthetic preservation and long-lasting protection of the vehicle.

ART. Nº.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>POLISHING COMPOUNDS PRODUCTS</b>				
BL301110	MASSA DE POLIR CUT PLUS K17	250 g	12	K17 is a polishing compound dedicated to all types of varnish used in the automotive and industrial sectors, including scratch-resistant coatings (e.g., ceramic). The product is recommended for newly polymerized paints as well as for old paints. It easily removes scratches and sanding marks (1500 grit sandpaper). It contains no fillers or silicones. <ul style="list-style-type: none"><li>• Cut level 8/10</li><li>• Brightness level 8/10</li></ul>
BL301111	MASSA DE POLIR CUT PLUS K17	1 kg	6	
BL301112	MASSA DE POLIR CUT PLUS K17	4,5 kg	2	
BL301113	MASSA DE POLIR ULTRA FINISH N17	250 g	12	This compound was developed to remove holograms and micro-scratches from painted surfaces, as well as marks left during the sanding process. The product guarantees an ideal deep shine and creates a detergent-resistant protective layer over the varnish. It does not contain silicone. <ul style="list-style-type: none"><li>• Cutting level 3/10</li><li>• Brightness level 9/10</li></ul>
BL301114	MASSA DE POLIR ULTRA FINISH N17	1 kg	6	
BL301115	CERA FAST WAX SHINE & PROTECTION B10	500ml	6	A wax-based product, quick and easy to use, developed for application on all smooth and glossy surfaces (varnish, glass and plastic). Creates an intense shine, enhances color and makes the surface slippery. The product protects and revitalizes the surface, and also has hydrophobic properties. Leaves no residue on plastic and rubber. <ul style="list-style-type: none"><li>• Cutoff level: 0/10</li><li>• Brightness level: 10/10</li></ul>
BL301116	CERA FAST WAX SHINE & PROTECTION B10	1 L	6	
BL301118	CERA WAX SHINE & PROTECTION S18	250 ml	12	S18 PROTECT LIQUID is a fine-grained polishing paste that revitalizes the surface, leaving an invisible protective film against contamination. It increases paint lifespan by 40-50% and reduces dirt buildup by 70-80%. Applicable to the protection of painted surfaces, gelcoat, and polycarbonate. It has slightly abrasive properties that allow for the removal of minor defects and holograms. It is suitable for gelcoat and all automotive paints, including acrylic, two-component, one-component, water-based, and original equipment manufacturer (OEM) paints. It can also be used on scratch-resistant ceramic paints. It increases paint gloss and protects against UV rays, acid rain, tree resins, insects, and oxidation. Applied manually or with an eccentric polisher and polishing sponge. For a high-gloss finish without haze or holograms, use a soft polishing sponge. <ul style="list-style-type: none"><li>• Cut level: 2/10</li><li>• Brightness level: 9/10</li></ul>
BL301119	CERA WAX SHINE & PROTECTION S18	500 ml	6	
BL301120	CERA WAX SHINE & PROTECTION S18	1 L	6	



# GLOBAL COAT SOLUTIONS

ART. Nº.	PRODUTO	UNIT	QUAT . P/ CX	CARACTERISTICAS PRINCIPAIS
<b>POLISHING COMPOUNDS PRODUCTS</b>				
BL301117	LIMPEZA UNIVERSAL	500ml	6	O Limpador Universal é indicado para todos os tipos de vernizes e selantes (incluindo HS, 2K, nitrocelulose e sintéticos), bem como para plásticos, gel coats, vidros, espelhos, etc. Remove com eficiência a névoa e os resíduos de agentes abrasivos. O uso do Limpador Universal permite verificar a qualidade e o nível de brilho do revestimento aplicado. O produto é muito fácil de usar (aplicação manual).
BL301121	RESTAURADOR DE PLÁSTICOS	250 ml	12	Produto dedicado à regeneração e revitalização de superfícies plásticas. Adequado para uso em metal (cromo, latão, aço inoxidável, alumínio) e verniz. Graças às suas propriedades de penetração, atinge a estrutura superficial em profundidade, restaurando a cor e o brilho perdidos. Cria uma camada de acabamento resistente e flexível após a secagem.
<b>CAR COSMETICS</b>				
BL301122	SHAMPOO	500ML	6	Highly concentrated, efficient (1:400) and effective automotive shampoo with a neutral pH formula. Ideal for removing dirt from car paintwork without leaving stains. Perfect for daily washing. Contains no waxes or polymers. Dilution: 1:400; 25 ml of concentrate for every 10 liters of water.
BL301123	LIMPEZA DE INTERIORES	500ML	6	O Quick Detailer foi desenvolvido para a limpeza e manutenção rápidas de elementos plásticos do interior do carro. Remove eficazmente a sujidade, ao mesmo tempo que revitaliza e nutre plásticos, vinil e borracha, conferindo-lhes um ligeiro efeito de escurecimento. Previne a degradação dos plásticos, protegendo-os do desbotamento, graças à sua composição com filtros UV. Cria uma camada antiestática
BL301124	LIMPA VIDROS	500ML	6	Um produto eficaz, eficiente e fácil de usar que deixa os vidros do carro livres de manchas e riscos. Impede o embaçamento dos vidros e remove a sujeira mais difícil de qualquer superfície de vidro. Seguro para acabamentos em preto piano.
BL301125	LIMPA JANTES IRON REMOVER	500ML	6	Uma fórmula eficaz e de ação rápida para limpar jantes de resíduos de ferro, ferrugem volátil e pó de freio. Quando em contato com impurezas, o produto fica vermelho. Devido ao pH neutro, é seguro para todos os tipos de jantes e pinturas de automóveis.





# GLOBAL COAT SOLUTIONS

ART. N°.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>BACKING PLATE</b>				
BL301126	PRATO UNIVERSAL AMARELA M14	Ø150 mm	10	<p>Support plates in all dimensions and types:</p> <ul style="list-style-type: none"><li>• UNIVERSAL BLACK AND YELLOW – pattern with flexible border</li><li>• RED – with an impact-absorbing layer that facilitates work and polishing even in hard-to-reach places. Dedicated to polishing with foams and wools with a diameter of Ø 80 mm and other applicators with a diameter of Ø 75 mm or more.</li><li>• RED SOFT – a backing plate with a soft and flexible divider, designed for polishing surfaces with embossed textures.</li><li>• RED THIN – a thin, impact-absorbing layer that provides stability on large surfaces with a diameter of Ø 150 mm or more.</li><li>• FLEXIBLE YELLOW – perfect for working with the Ø 230 mm polishing and finishing pad and all other applicators with a diameter of Ø 180 mm or more. Thanks to its flexible structure, it provides easy work and allows you to reach hard-to-reach places during polishing.</li></ul>
		Ø120 mm	10	
BL301127	SOFT VERMELHO M14	Ø80 mm	10	
		Ø120 mm	10	
BL301128	FLEXI AMARELO M14	Ø 180 mm	10	
BL010146	THIN VERMELHO M14	Ø 150 mm	10	
<b>ADDITIONAL POLISHING PRODUCTS</b>				
BL301129	PLASTICINA P/ PLÁSTICOS E VIDROS 100 g	100GR	10	<p>A barra de argila para carros é dedicada à limpeza de pintura e vidros. Remove perfeitamente impurezas como resina, alcatrão, asfalto, resíduos de tinta e outras sujeiras difíceis de limpar. Sua principal qualidade é não riscar nem deixar a superfície fosca. Segura para todos os tipos de verniz automotivo e industrial. Muito fácil de usar: basta destacar um pedaço e moldá-lo no formato desejado. Lembre-se de umedecer a superfície e limpar até remover toda a sujeira. Não pressione a argila durante o uso para não danificar o verniz. Produto recomendado para uso profissional em oficinas de funilaria e pintura.</p>





GCS





**GLOBAL COAT**  
SOLUTIONS

# GCS Protector Liner System Dragon

The DRAGON line from Global Coat Solutions is a polyurethane protective coating system developed for applications requiring maximum mechanical strength and extreme protection. Inspired by liner-type solutions, DRAGON offers excellent resistance to impacts, abrasion, moisture, and chemical agents, making it ideal for cargo boxes, chassis, rims, off-road parts, and industrial applications. Available in black and tintable versions, the DRAGON system combines an aggressive look with superior durability, guaranteeing long-term protection even in harsh conditions.

ART. Nº.	PRODUTO	UNIT	QUAT. P/ CX	CARACTERISTICAS PRINCIPAIS
<b>DRAGON PRODUCTS</b>				
CE070518	PROTECTIVE POLYURETHANE COATING 2K black	1kg set	4	<p>Two-component polyurethane protective coating with a textured effect.</p> <p>Advantages</p> <ul style="list-style-type: none"><li>The product has excellent chemical (oil, gasoline, water, salt) and mechanical (scratches, stains) resistance.</li><li>Resistant to weathering (UV filters) and corrosion (anti-corrosion agents).</li><li>It can be applied to various substrates.</li><li>It can be applied with either the UBS anti-gravity spray gun or a conventional gravity spray gun.</li></ul>
CE070519	PROTECTIVE POLYURETHANE COATING 2K tintable	1kg set	4	
BL070520	PROTECTIVE POLYURETHANE COATING 2K black	15,8 kg	-	
BL070521	PROTECTIVE POLYURETHANE COATING 2K tintable	15,8 kg	-	
BL070522	ENDURECEDOR 2K PROTECTIVE POLYURETHANE COATING	4,2 kg	-	
BL070523	AREIA ANTIDERRAPANTE	10g	24	-
CE070524	2K ANTICORROSIVE EPOXY PRIMER 4:1 CINZENTO	0,8l + 0,2l	6	<p>Primer epóxi bicomponente de alta qualidade com aditivos anticorrosivos, desenvolvido especificamente para uso sob o revestimento protetor de poliuretano bicomponente DRAGON. Protege perfeitamente as superfícies de aço contra a corrosão durante o processo de reparação automotiva, ao mesmo tempo que reforça e prolonga o efeito anticorrosivo do revestimento protetor DRAGON. Em alta diluição, pode ser aplicado utilizando a técnica úmido sobre úmido.</p>
BL070525	DILUENTE P/EPOXY	0,5l	6	<p>This product was developed for diluting DRAGON anti-corrosive epoxy primer. It is a mixture of carefully selected, high-quality organic solvents that allows for a product with precisely defined parameters. This ensures the correct application, spreading, and drying of the DRAGON epoxy primer. Detailed application ratios are provided in the technical data sheets for each product.</p>
BL070526	DILUENTE PREMIUM UNIVERSAL	1l	6	<p>Este produto destina-se à diluição do revestimento protetor de poliuretano da Rangers. O diluente é uma mistura de solventes orgânicos de alta qualidade, cuidadosamente selecionados e perfeitamente equilibrados para otimizar o desempenho dos produtos DRAGON. Garante a aplicação correta, a fluidez, a secagem e a obtenção de produtos com parâmetros rigorosamente definidos.</p>
BL070527	KIT PISTOLA PARA PROTECTIVE COATING APPLICATION	1 pcs	1	-

**YOUR BRAND**

**OUR FACTORY**

**ONE GLOBAL STANDARD**

Chamusca Street 2 Rol Park – Warehouse B7  
Ponte do Rol  
2560 – 176 Torres Vedras Torres Vedras  
Portugal

Tel: +351 914 371 355

## **Product Catalogue Automotive Refinish**